Programming in Java



Lecture 01: The History and Evolution of Java

Mahesh Kumar

Assistant Professor (Adhoc)

Department of Computer Science Acharya Narendra Dev College University of Delhi

Course webpage [http://www.mkbhandari.com/mkwiki]

Outline



1 History of Java

2 Java Features

3 OOPs Principles [class notes]

Why a new Programming Language is Developed?



- Computer language innovation and development occurs for two fundamental reasons:
 - To adapt to changing environments and uses.
 - To implement refinements and improvements in the art of programming.
- The development of Java was driven by both elements in nearly equal measure.

Java's Lineage



- Java is related to C++, which is a direct descendant of C. Much of the character of Java is inherited from these two languages.
 - From C, Java derives its syntax.
 - Many of Java's object-oriented features were influenced by C++.
 - In fact, several of Java's defining characteristics come from—or are responses to—its predecessors.
- Moreover, the creation of Java was deeply rooted in the process of refinement and adaptation that has been occurring in computer programming languages for the past several decades.
- Each innovation in language design is driven by the need to solve a fundamental problem that the preceding languages could not solve.

The Birth of Modern Programming: C



Prior to C:

- Programming Languages such as BASIC, FORTRAN, and COBOL were relied upon the GOTO as a primary means of program control.
 - As a result, programs written using these languages tended to produce "spaghetti code"

 a mass of tangled jumps and conditional branches that make a program virtually impossible to understand.
- Although FORTRAN could be used to write fairly efficient programs for scientific applications, it was not very good for system code.
- While BASIC was easy to learn, it wasn't very powerful, and its lack of structure made its usefulness questionable for large programs.
- Assembly language can be used to produce highly efficient programs, but it is not easy to learn or use effectively. Further, debugging assembly code can be quite difficult.

The Birth of Modern Programming: C



- By the early 1970s:
 - The computer revolution was beginning to take hold, and the demand for software was rapidly outpacing programmers' ability to produce it.
 - A great deal of effort was being expended in academic circles in an attempt to create a better computer language.
 - Computer hardware was finally becoming common enough that a critical mass was being reached. No longer were computers kept behind locked doors.
 - For the first time, programmers were gaining virtually unlimited access to their machines.
 This allowed the freedom to experiment.
 - It also allowed programmers to begin to create their own tools.

The Birth of Modern Programming: C



- C was originally developed at Bell Labs by Dennis Ritchie between 1972 and 1973 to make utilities running on Unix.
- C was the result of a development process that started with an older language:
 - BCPL, developed by Martin Richards in 1967.
 - BCPL influenced a language called B, invented by Ken Thompson in 1969, which led to the development of C in the 1970s.
 - For many years, the de facto standard for C was the one supplied with the UNIX operating system
 - C was formally standardized in December 1989, when the American National Standards Institute (ANSI) standard for C was adopted.
 - C was a powerful, efficient, structured language that was relatively easy to learn.
 - Prior to the invention of C, computer languages were generally designed either as academic exercises or by bureaucratic committees.
 - C was designed, implemented, and developed by real, working programmers.

C++: The Next Step



- By the early 1980s, many projects were pushing the structured approach past its limits - once a project reaches a certain size, its complexity exceeds what a programmer can manage.
- To solve this problem, a new way to program was invented, called object-oriented programming (OOP).
- OOP is a programming methodology that helps organize complex programs through the use of:
 - Inheritance

Encapsulation

- Polymorphism
- Although C is one of the world's great programming languages, there is a limit to its ability to handle complexity.
- C++ added features that enabled this threshold to be broken, allowing programmers to comprehend and manage larger programs.

C++: The Next Step



- C++ was invented by Bjarne Stroustrup in 1979, while he was working at Bell Laboratories in Murray Hill, New Jersey.
- Stroustrup initially called the new language "C with Classes." However, in 1983, the name was changed to C++.
- C++ extends C by adding object-oriented features.
- Because C++ is built on the foundation of C, it includes all of C's features, attributes, and benefits.
- The invention of C++ was not an attempt to create a completely new programming language. Instead, it was an enhancement to an already highly successful one.

The Creation of Java



- By the end of the 1980s and the early 1990s, object-oriented programming using C++ took hold.
- Indeed, for a brief moment it seemed as if programmers had finally found the perfect language.
- Because C++ blended the high efficiency and stylistic elements of C with the object-oriented paradigm, it was a language that could be used to create a wide range of programs.
- Within a few years, the World Wide Web and the Internet would reach critical mass.
- This event would precipitate another revolution in programming.

The Creation of Java



- James Gosling (Father of Java), Mike Sheridan, and Patrick Naughton initiated the Java language project in June 1991. The small team of **sun** engineers called Green Team.
- Initially designed for small, embedded systems in electronic appliances like set-top boxes.
- Firstly, it was called "Greentalk" by James Gosling, and the file extension was .gt.
- After that, it was called Oak and was developed as a part of the Green project.
- Why Oak? Oak is a symbol of strength and chosen as a national tree of many countries like the U.S.A., France, Germany, Romania, etc.



- In 1995, Oak was renamed as "Java" because it was already a trademark by Oak Technologies.
- Java is a programming language and a platform. Java has a JRE and API.

The Creation of Java



- Java is an island of Indonesia where the first coffee was produced (called java coffee). It is a kind of espresso bean. Java name was chosen by James Gosling while having coffee near his office.
- Notice that Java is just a name, not an acronym.
- Initially developed by James Gosling at Sun Microsystems (which is now a subsidiary of Oracle Corporation) and released in 1995.
- In 1995, Time magazine called Java one of the Ten Best Products of 1995.
- JDK 1.0 released in(January 23, 1996). After the first release of Java, there have been many additional features added to the language.

The Creation of Java - Versions



Many Java versions have been released till now. The current stable release of Java is Java SE 10.

- JDK Alpha and Beta (1995)
- **2** JDK 1.0 (23rd Jan 1996)
- 3 JDK 1.1 (19th Feb 1997)
- 4 J2SE 1.2 (8th Dec 1998)
- **5** J2SE 1.3 (8th May 2000)
- **6** J2SE 1.4 (6th Feb 2002)

- 7 J2SE 5.0 (30th Sep 2004)
- **8** Java SE 6 (11th Dec 2006)
- Java SE 7 (28th July 2011)
- 10 Java SE 8 (18th Mar 2014)
- 11 Java SE 9 (21st Sep 2017)
- 12 Java SE 10 (20th Mar 2018)

The Creation of Java - Applications



- According to Sun, 3 billion devices run Java. There are many devices where Java is currently used. Some of them are as follows:
 - Desktop/Standalone/Window Applications such as acrobat reader, media player, antivirus, etc.
 - Web Applications such as irctc.co.in, javatpoint.com, etc.
 - 3 Enterprise Applications such as banking applications.
 - Mobile
 - **5** Embedded System
 - Robotics

- 6 Smart Card
- 8 Games


- AWT, Swings
- Servlet, JSP, Struts, Spring, Hibernate, ISF
- EJB
- Android and Java ME

The Creation of Java - Platforms/Editions



- There are 4 platforms or editions of Java:
 - Java SE (Java Standard Edition)
 - It is a Java programming platform. It includes Java programming APIs such as java.lang, java.io, java.net, java.util, java.sql, java.math etc
 - It includes core topics like OOPs, String, Regex, Exception, Inner classes, Multithreading, I/O Stream, Networking, AWT, Swing, Reflection, Collection, etc.
 - Java EE (Java Enterprise Edition)
 - It is an enterprise platform which is mainly used to develop web and enterprise applications. It is built on the top of the Java SE platform.
 - It includes topics like Servlet, JSP, Web Services, EJB, JPA, etc.
 - Java ME (Java Micro Edition)
 - It is a micro platform which is mainly used to develop mobile applications.
 - 4 JavaFX
 - It is used to develop rich internet applications. It uses a light-weight user interface API.







- Object Oriented: Java is an object-oriented programming language.
 - Everything in Java is an object.
 - Object-oriented means we organize our software as a combination of different types of objects that incorporates both data and behavior.
 - OOPs is a methodology that simplifies software development and maintenance by providing some rules.
 - Basic concepts of OOPs are:
 - Object
 - Class
 - Inheritance


- Polymorphism
- Abstraction
- Encapsulation



- 2 Simple: Java is very easy to learn, and its syntax is simple, clean and easy to understand.
 - According to Sun, Java language is a simple programming language because:
 - Java syntax is based on C/C++ (so easier for programmers to learn it after C++).
 - Java has removed many complicated and rarely-used features, for example, explicit pointers, operator overloading, etc.
 - There is no need to remove unreferenced objects because there is an Automatic Garbage Collection in Java.



- 3 Platform Independent: Java is a write once, run anywhere language.
 - Java code is compiled by the compiler and converted into bytecode (language like C, C++, which are compiled into platform specific machines)
 - The bytecode is a platform-independent code because it can be run on multiple platforms
 - There are two types of platforms software-based and hardware-based. Java provides a software-based platform that runs on the top of other hardware-based platforms. It has two components:
 - JRE (Java Runtime Environment)
 - API (Application Programming interface)





- Secured: Java is best known for its security. With Java, we can develop virus-free systems.
 - Java is secured because:
 - No explicit pointer
 - Java Programs run inside a virtual machine sandbox (C/C++ uses runtime environment of OS)
 - Classloader: part of JRE, which load Java classes into the JVM dynamically. It adds security by separating the package for the classes of the local file system from those that are imported from network sources.
 - Bytecode Verifier: It checks the code fragments for illegal code that can violate access right to objects.
 - Security Manager: It determines what resources a class can access such as reading and writing to the local disk.



5 *Robust:* Robust simply means strong. Java is robust because:

- There is automatic garbage collection in java which runs on the Java Virtual Machine to get rid of objects which are not being used by a Java application anymore (in C/C++, the programmer will often manually allocate and free all dynamic memory).
- Exception handling: In a well-written Java program, all run-time errors can—and should—be managed by your program.
- Because Java is a strictly typed language, it checks your code at compile time. However, it also checks your code at run time.
- There is a lack of pointers that avoids security problems.



6 Architecture-neutral: Java is architecture neutral because:

- There are no implementation dependent features, for example, the size of primitive types is fixed.
 - In C programming, int data type occupies 2 bytes of memory for 32-bit architecture and 4 bytes of memory for 64-bit architecture.
 - However, it occupies 4 bytes of memory for both 32-bit and 64-bit architectures in Java.
- Operating system upgrades, processor upgrades, and changes in core system resources can all combine to make a program malfunction.
- The goal of Java designer was "write once; run anywhere, any time, forever." To a great extent, this goal was accomplished.



- 7 Interpreted and High-performance: Java enables the creation of cross-platform programs by compiling into an intermediate representation called Java bytecode.
 - This code can be executed on any system that implements the Java Virtual Machine.
 - The Java bytecode is translated directly into native machine code for very high performance by using a just-in-time compiler.
 - Java run-time systems that provide this feature lose none of the benefits of the platform-independent code.



- 8 Multithreaded: We can write Java programs that deal with many tasks at once by defining multiple threads.
 - A thread is like a separate program, executing concurrently.
 - The main advantage of multi-threading is that it doesn't occupy memory for each thread. It shares a common memory area.
 - Threads are important for multi-media, Web applications, etc.
 - Java was designed to meet the real-world requirement of creating interactive, networked programs.



- Oistributed: Java is distributed because it facilitates users to create distributed applications in Java.
 - RMI and EJB are used for creating distributed applications.
 - This feature of Java makes us able to access files by calling the methods from any machine on the internet.
 - Java is designed for the distributed environment of the Internet because it handles TCP/IP protocols.



- 10 **Dynamic:** Java is a dynamic language.
 - It supports dynamic loading of classes. It means classes are loaded on demand.
 - It also supports functions from its native languages, i.e., C and C++.

Java supports dynamic compilation and automatic memory management (garbage collection).

References



Reference for this topic

• [Book: Java: The Complete Reference, Ninth Edition: Herbert Schildt] https://www.amazon.in/Java-Complete-Reference-Herbert-Schildt/dp/0071808558

[Web: Java T Point tutorial]
 https://www.javatpoint.com/java-tutorial

[Web: GeeksforGeeks] https://www.geeksforgeeks.org/java/